

General Quarters III

M erchant S HIP S YSTEM



AK



AO



AP

by L L Gill and Bruce Wright
with ship counters by Michael Baulch



The MERCHANT SHIP SYSTEM

a *GENERAL QUARTERS III* Supplement

By L.L. Gill, Bruce Wright, and Mike Baulch

Published in 2012 by

OLD DOMINION GAMEWORKS
4 Weems Lane, #135
Winchester, Virginia 22601 U. S. A.

Copyright © 2012 L.L. Gill, Bruce Wright, and Mike Baulch

All rights reserved. This publication, in whole or in part, may not be reproduced, stored in a retrieval system or transmitted in any form by any means electrical, mechanical or otherwise without the prior written permission of the authors and publisher, except in the case of brief quotations embodied in sundry articles and reviews. Specific permission is hereby granted to print and photocopy the Convoy Ship Logs, blank Ship Log and Ship Counters contained herein for personal use, but not for resale or for any other benefit, profit or gain.

Created in the United States of America
December 2012

10 9 8 7 6 5 4 3 2 1

COVER DESIGN: L. L. Gill

DESIGN SUPPORT: Gregory Kuntz, Jim O'Neil and Steven Taylor

SHIP COUNTERS: M. R. Baulch

TYPESETTING: L. L. Gill

The Merchant Ship System

Welcome aboard the Merchant Ship System, or MSS for short. Most of us generally pay little attention to merchant ships, regarding them as mere targets or generic “sea trucks.” However, merchant ships in the first half of the Twentieth Century were every bit as varied as warships and each had its own characteristics and capabilities, which can enrich your naval simulations and campaigns. To fill this long standing void, Bruce and I are pleased to present the MSS, the first systematic approach to standardize the key characteristics of merchant ships and provide you with data for hundreds of merchant ships from the 1930s and the WW II years. In addition, the MSS also presents a number of Convoy Logs with a selection of already prepared merchant Ship Logs for use in your simulations and a set of cardstock counter sheets to print for use until you can commission your own miniature merchant fleet. In short, the MSS has every thing you need to add merchant ships to your simulations.

The MSS is built around the concept that the main utility of a merchant ship in wartime is determined by her cargo capacity and the type(s) of cargo she carries. Accordingly, cargo capacity is defined in dry cargo holds, POL (Petroleum, Oil and Lubricant) tanks, refrigeration spaces (for perishable cargo) and troop berthing spaces - collectively referred to as “holds” - to be listed on her Ship Log, along with the number of Hull boxes, which reflects overall size. The ship’s value at any point in time is dependent on the quantity and type of cargo carried. Victory Points (VPs) are divided into a cargo value and a basic, empty hull value expressed as “C + xx VPs.” A merchant vessel in ballast has VPs only for her basic hull value, while a loaded ship’s VPs are the sum of her cargo and her basic empty hull value. Cargo values and further details are described in **GQ 3.3** rule Section 1.18.5, which is reproduced below for your convenience. In addition to standard cargo values for normal voyages, special values are also provided for urgent and critical cargoes to reflect special tactical and situational conditions. For example, the famous tanker *Ohio*, carrying fuel and avgas to besieged Malta in August 1942 was worth much more than an equivalent AO in a routine 1944 Atlantic convoy.

For your convenience, the MSS is divided into three parts: the Data file, the Convoy Log file and the Ship Counter file.

The DATA file provides the Hull worksheet for determining the number of Hull boxes to list on the merchant Ship Logs, the Formula worksheet listing the formulas used to calculate cargo “holds” and cargo values and Data sheets listing merchant ships by type and nationality. Individual ships are listed on the Data sheets with the following information:

Year - the year launched or commissioned.

Name - the name of the vessel. Naval auxiliaries are indicated in bold font using the naval designation if renamed from her previous commercial name.

Type - AC = collier, AE = explosives freighter, AF = refrigerated freighter, AK = dry cargo ship, AMC = armed merchant cruiser (converted from an AK or AP), AO = tanker (oiler in naval parlance) and AP = passenger liner. AKAs and APAs are cargo and liners equipped with landing craft and cargo handling equipment for amphibious assault operations across open beaches.

Kts - maximum sustained speed.

Engine - propulsion type: C = coal fired steam engine, D = Diesel engine and O = oil fueled steam engine.

GRT - Gross Registered Tons, the standard commercial measure of hull volume. This is a measure of volume, not weight and is quite different from standard displacement tonnage used for warships.

GRT x .75 - a base of 75% of GRT used in calculating the basic, empty hull value of a merchant ship.

Hull VPs - the basic, empty hull value of a ship calculated using 75% of GRT times the factor listed at the top of the column. A larger factor is listed for AE, AF and APAs to reflect the additional value of special cargo handling, refrigeration and insulation equipment required for these types. *Note this value is listed in tenths and should be rounded to the nearest ¼ VP.*

NRT - Net Registered Tons, the standard commercial measure of cargo capacity, determined by subtracting engineering, fuel and crew spaces from a merchant’s GRT. This is a measure of volume capacity and should not be confused with weight, which will vary for each type of cargo. *A cubic foot of iron weighs a lot more than a cubic foot of cotton, etc.*

Holds - this is determined by dividing the NRT by 1,000. Each hold (or tank space for AOs) = 1,000 NRT (Net Registered Tons). The number of holds is then rounded to the nearest whole number. This provides a graphic description of the total cargo capacity for Ship Logs, but does not necessarily reflect the specific cargo hold layout of any individual ship.

Cargo VPs - the loaded cargo value of a ship calculated by multiplying the number of holds times the cargo factor at the top of the column. *Note this value is listed in tenths and should be rounded to the nearest ¼ VP.*

Troops - three columns are provided for troop capacity using the same process as for cargo. The total number of troops in the first column is divided into 400 troop berthing spaces in the middle column and that in turn is multiplied by the factor at the top of the VP column to provide an equivalent VP value in the third column. *Note the troop spaces value is listed in tenths and should be rounded to the nearest whole troop space. The VP value should in turn be rounded to the nearest ¼ VP.*

LOADED VPs - This is an indicative approximation of the sum of the cargo hold VPs and basic hull VPs [C + xx VPs] for a loaded merchant ship listed in tenths. Basic hull VPs and each cargo type VPs should in fact be individually rounded to the nearest ¼ VP before being summed together. Therefore, the correct loaded VP value for a ship may vary from the approximation in tenths.

Defensive Armament - this is a listing of the defensive armament broken into LA (low angle), DP (dual purpose), Medium AA and Lt AA (light AA) where specific data has been found. Total guns are listed and need to be broken into **GQ** two-gun Armament boxes and sided AA batteries when preparing Ship Logs.

On the AMC datasheets, a Broadside section replaces the various cargo sections with VP values for broadside guns and torpedo tubes (TT). The total VP value = basic hull value + armament VP value + Raider VP (for those ships operating as disguised merchant raiders). As with other merchant ships,

each section's VP value should be individually rounded to the nearest $\frac{1}{4}$ VP before being summed together. The "Other" section lists mines, FPs (Float Planes), DCs (Depth Charges) and MTBs carried in addition to the main armament and minor defensive armament listed in the final section. This additional equipment is not used in calculating the Broadside VP value for an AMC. The AMC equivalent value is thus a composite of merchant ship and warship, consisting of a basic hull value (potential for re-conversion to her former cargo or transport capacity) plus offensive armament capacity and a surprise factor, where applicable, for AMCs operating as disguised merchant raiders.

Throughout the datasheets, GRT and NRT data is in bold font when taken from standard commercial data sources of the period. These primarily consist of Lloyds Register of Shipping, Talbot-Booth and equivalent national sources. When only one of the standard volume measures (GRT or NRT) is available, the other has been derived using the standard formula $NRT = .6 \times GRT$. This provides an approximation, indicated by the use of non-bold font, which is consistently quite close to the actual measure. Finally, in a few cases, data has been shaded in light yellow to signify it is estimated or based on incomplete sources pending further research and thus should be used with caution. The Defensive Armament section remains blank in many cases, as reliable data for particular ships has not yet been located.

There were thousands of merchant ships of all sizes and configurations in the 1930s through the WW II years and detailing them is a truly massive project. Thus, the datasheets are a work in progress and will continue to be augmented with new ships to enhance the initial base of more than 400 ships and provide new data when it becomes available. Anyone who has clarifications or additional information on any of the ships listed is invited to contact us through ODGW so that we may update the data for the benefit of all our shipmates.

Ships are listed in worksheets by type, then in alphabetical order by nationality for easy reference. Changes from a preceding revision of a data sheet (identified in the upper right-hand corner) are signified by tan shading of the left-most "Year" column for new ships and the specific data cell for existing ships. The data sheets are designed to provide a handy source for preparing merchant Ship Logs for your scenarios and campaigns. The data can also be easily modified for use with other naval rule systems as needed. The use of standard commercial measures like GRT and NRT was intentional to facilitate wider applicability.

The **CONVOY LOGS** file contains a number of already prepared merchant Ship Logs for different periods and theaters. Simply circle ships as needed for a scenario, convoy or campaign and your merchant ships are ready to go. You can designate specific cargos for specific ships, if required, as part of the scenario or campaign set-up instructions. Note that the cargo "holds" are color coded to facilitate quickly determining the type of cargo that can be carried. Refrigerated holds are shown in light blue to differentiate them from regular dry cargo holds. The VP values per hold or troop space for the different types of cargo are listed immediately below the lower left Ship Logs on each sheet for ease of reference.

Most merchant ships were initially armed with an old LA (low angle) 3" – 5" gun of WW I or earlier, uncertain vintage for defense against surface raiders, or an improbable attack by a surfaced submarine, and a couple of machine guns. These guns were usually manned by naval gun crews, but operated under local control without any form of centralized fire control, resulting in limited effectiveness. [Note that merchant ships lack the fire control "DCT" designation in the upper, special damage row of their Ship Logs.] As armaments became available and the air threat was better appreciated, many ships were equipped with a DP (dual purpose) 3" – 5" gun and 20mm AA guns. Medium AA 37mm – 40 mm guns were added, when supplies allowed, to merchants that sailed in areas subject to opposing air attacks.

Detailed armament data for specific merchant ships in this era is, unfortunately, seldom available at this remove. Therefore, *representative* gun boxes and AA factors have been used on the Ship Logs in many cases to provide typical defensive armament capacities for the period or theater. Small DP, primarily AA guns are indicated in red as noted in the battery size listed above the top left of the Ship Log. Where specific armament data has been located for a ship, the data listed on the datasheets has been used. This is an area that we hope to upgrade with the assistance of other shipmates (hint, hint).

A blank Excel convoy sheet is also provided to enable you to easily create your own Convoy using the data worksheets from the Data file. Refer to them to quickly determine the number of Hull boxes for a Ship Log, how many and what type of holds or troop spaces to list and the VP value to assign. Example graphics of the various types of cargo holds and troop spaces, along with samples of the armament boxes and fuel type designators, are provided below the blank worksheet so you can easily copy and paste as needed to create new Ship Logs. We will continue to add new Convoy Logs as they are completed and invite you to share yours so that shipmates in our hobby can benefit from each other's labors.

The **SHIP COUNTERS** file, which Mike has generously developed, contains a number of color counter sheets in four scales for those who don't yet have the requisite miniature merchant fleets. Simply download and print them on cardstock to generate a set of counters to use until you have a chance to commission your own miniatures. Counters are presented in 1:2400, 1:3000, 1:4800 and 1:6000. Select the scale needed to accompany your warship miniatures. The counters are generic renderings of merchant ships, escorts and submarines. While a specific ship may have been used as a basis (i.e. the Allied T2 tanker for the large tanker) for a counter, feel free to use them for any ship of any nation that falls within the general size parameters. Additionally, some ASW escorts and submarine counters have also been included so as to give the all the ships (the hunted and hunters) needed for a potential convoy action. Just download and print them on cardstock if you don't already have the needed escort miniatures or submarines to fill-in a gap or two for a convoy engagement.

The counters in each scale are organized as follows:

AP 01 to AP 30 - Passenger and passenger/cargo liners used primarily as troop transports. Two sizes of AP are provided:

AP 01 to AP 20 - Large passenger/cargo ships (approximately 15,000 – 17,000 GRT)

AP 21 to AP 30 - Medium passenger/cargo ships (approximately 9,000 – 12,000 GRT)

AO 01 to AO 25 - Tankers used to carry all manner of raw and refined petroleum products, everything from raw crude to refined gasoline and AvGas. Two sizes are presented:

AO 01 to AO 16 - Large tanker (8,000 – 9,000 GRT)

AO 17 to AO 25 - Medium tanker (6,000 – 7,000 GRT)

AC 01 to AC 05 - Colliers/ore carriers used for coal or raw ore. A medium collier (5,000 – 6,000 GRT) type is provided

AK 01 to AK 90 - Cargo ships used to carry all types of dry cargo; from food to ammunition, from tanks to toilet paper. Some of these AKs were also used as troop transports after suitable conversion. Three sizes are presented:

AK 01 to AK 20 - Large cargo ships (approximately 8,000 – 10,000 GRT)

AK 21 to AK 50 and AK 71 to AK 90 - Medium cargo ships (approximately 6,000 – 8,000 GRT)

AK 51 to AK 70 - Small cargo ships (4,000 - 6,000 GRT)

Res 01 to Res 02 - Convoy rescue ships converted from small liners. Used during the early war until replaced by purpose-built rescue ships (based on frigates), starting in 1944

CAM 01 to CAM 03 - Catapult auxiliary ships (based on *Empire Darwin*) with a single Hurricane fighter. CAM ships began appearing in 1941 as an emergency stopgap means of countering German long range air attacks and reconnaissance

AA 01 to AA 05 - Auxiliary anti-aircraft escort ships converted from a merchant (based on *HMS Springbank*). They essentially have the armament, sensors and AA fire control of a light AA cruiser. Several ships were converted from 1940 on

Corv 01 to Corv 10 - Generic ASW escort (based on RN *Flower* class corvette). Similar designs served with the various navies, with the RN *Flower* class being the most numerous

Tr 01 to Tr 10 - Generic ASW trawler (based on RN *Dance* class). Many classes of trawlers were used as convoy escorts

Slp 01 to Slp 10 - Generic ASW sloop (based on RN *Black Swan* class). Several RN classes were used as convoy escorts

SS 01 to SS 06 - Generic medium submarine (based on German *Type VII*) of approximately 750 tons

SS 07 to SS 10 - Generic large submarine (based on German *Type IX*) of approximately 1000 tons

In summary, the MSS provides all you need to add merchant ships and convoys to your simulations. You will find their individuality and varied cargoes will really enhance your scenarios and campaigns. We periodically plan to add new ships and revisions to the MSS files to expand the coverage. With your help, we can make a sizeable dent in a truly massive project and provide a long needed resource for wargamers and naval enthusiasts alike to use.

Repeated for your convenience from **GENERAL QUARTERS** version 3.3, Part 1:

1.18.5 Merchant Ship VPs

Merchant ship VPs are listed on Ship Logs using the format “C+ # VPs” representing the cargo value plus base hull value. Cargo values are standardized as listed below, but can be altered as needed in scenario set-ups, to reflect vital urgent or critical cargos. Unless unique cargo values are listed for the scenario, the standard cargo values will be used.

Merchant ship values are derived using the Merchant Ship System (MSS), which is based on well known commercial standards: **GRT** (gross registered tonnage), a measure of a vessel's total hull volume, and **NRT** (net registered tonnage), a standard measure of cargo volume, that are quite different from the displacement tonnage used for warships. GRT is discounted for the volume occupied by the crew, engineering spaces and fuel to derive NRT. If NRT is unavailable, .6 x GRT is a good approximation. Formula details, data for hundreds of merchant ships and additional Convoy Logs are listed in the MSS folder available in the Bonus Files on the ODGW website.

- **Hull Value** A merchant ship's base hull value is her value empty, without cargo. When sailing in ballast, it is her total value. Refrigeration ships (AFs) and assault transports (AKAs and APAs) have enhanced values for refrigeration, landing craft and special cargo handling gear.
- **Cargo Value** Cargo capacity is listed on merchant Ship Logs as cargo “holds” or troop spaces, each of which represents 1,000 NRT or 400 troops. Individual loaded “hold” or troop space cargo values depend on cargo type:
Mixed (artillery, coal, food, supplies and vehicles) = ¼ VP
Explosives (ammo, bombs, mines, and torpedoes) = ½ VP
POL (Petroleum-Oil-Lubricant or aviation gas) = ½ VP
Troops (400 troops or personnel per space) = ¼ VP
The cargo value of a loaded merchant is equal to the sum of her “hold” VPs. Unless otherwise indicated in the scenario set-up, a ship is loaded with the cargo listed on her Ship Log. *Cargo VP values are also listed beneath the Ship Logs on the Convoy Logs for easy reference.*
- **VP Total** The VP value of a merchant ship is equal to the sum of the cargo value + the base hull value listed on her merchant Ship Log. *Example: a freighter (AK) with “C + 2 VPs” and 6 “holds” listed on her Ship Log has a value of 2 VPs if sailing in ballast (i.e., without cargo). When carrying cargo, her value would be 3½ VPs (2 + 6 x ¼) or 5 VPs (2 + 6 x ½) if carrying explosives.*
- **Special Cargo** Certain cargo values can be specified in the scenario set-up to reflect specific regional conditions and vital tactical requirements. These cargos must be designated as Urgent or Critical:

Urgent High value cargo urgently needed to meet the current regional logistics requirements. Urgent cargo value = double the standard cargo value.

Critical Military cargo that is critical to sustaining the tactical situation in succeeding days or weeks. Critical cargo value = triple the standard cargo value.

AvGas Aviation gas needed for an airbase under siege to continue aerial operations is a special form of critical cargo equal to 1 VP per “hold.” *When a high speed APD or ML ships a cargo of AvGas, add 1 VP to the VP value listed on her Ship Log for the scenario.*

MSS VP Formulas

Ref: GQ 3.3 rule Section 1.18.5

Rev G

Empty Hull Value:

AC • AE • AK • AO • AP GRT x .75/4000 tons = VP

AKA • APA GRT x .75/3000 tons = VP

AF GRT x .75/3000 tons = VP

Round to nearest 1/4 VP

[reduced factor reflects assault handling equipment and landing craft]

[reduced factor reflects added insulation and refrigeration plant]

Cargo Value:

a) Determine equivalent "holds" and round to nearest whole number

Mixed Cargo NRT/1000 tons = Equivalent Holds

POL & Liquid Cargo NRT/1000 tons = Equivalent Tank Spaces

Troops Troops/400 = Equivalent Troop Spaces

[Use GRT x .6 when NRT not available]

[Use GRT x .6 when NRT not available]

b) Multiple "holds" and spaces by cargo type value

	Equivalent	Cargo value
--	------------	-------------

Mixed Cargo Holds

POL & Liquid Cargo Tank Spaces x 0.50 = VP(s)

Troops Troop Spaces x 0.25 = VP(s)

Explosives Holds x 0.50 = VP(s)

[Artillery, coal, food, raw materials, military/civilian supplies and vehicles]

[Petroleum-Oil-Lubricant (diesel, gas, oil, grease) and other liquid cargos]

[Berthing for approximately 400 troops per troop space]

[Ammunition, bombs, explosives, flares, mines, rockets and torpedoes]

c) Cargo VPs + Troop Vps = Total Cargo VPs

Round to nearest 1/4 VP

Loaded Ship Value: Empty Hull Value + Total Cargo Value

Special Cargo Value:

Increase the standard cargo values to reflect special regional and tactical conditions as required when setting-up scenarios:

a) Urgent Double standard cargo VPs

[High value cargo urgently needed to meet regional logistics requirements]

b) Critical Triple standard cargo VPs

[Military cargo critical to sustaining the tactical situation in succeeding days]

c) AvGas 1 VP per Hold

[Aviation gas needed for an airbase under siege to continue air operations]

AMCs:

a) Empty Hull Value GRT x .75/4000 tons = VP

Round to nearest 1/4 VP

b) Broadside Value

(not total armament)

4" - 5" x 0.125 = VP(s)

5.5" + x 0.25 = VP(s)

Torpedo Tubes x 0.25 = VP(s)

c) Raider Factor 1 VP *Kriegsmarine*

1/2 VP *IJN*

d) Total

Empty Hull Value + Broadside Value + Raider Factor (*if applicable*)

GQ III Hull Boxes

Rev 7

WW II

	3	4	5	6	7	8	9	Hull Boxes
BA - BC			25 - 28,000	29 - 33,000	34 - 40,000	41 - 48,000	50,000 +	tons
CA - CS		2 - 2,900	3 - 4,500	4,600 - 7,000	8 - 11,000	12 - 16,000	17,000 +	tons
CV - CVE	SC		8 - 12,000	13 - 19,000	20 - 29,000	30 - 44,000	45,000 +	tons
DD - TB	360 - 390	400 - 500	600 - 1,000	1,100 - 1,500	1,600 - 2,000	2,100 - 2,600	2,700 +	tons
Submarine	200 - 300	300 - 490	500 - 750	750 - 1,000	1,100 - 1,800	1,900 - 2,700	2,800 +	tons

Based on Standard Displacement

SC

WW I

	3	4	5	6	7	8	9	Hull Boxes
BA - BD			12 - 15,000	16 - 21,000	22 - 30,000	31 - 39,000	40,000 +	tons
B*		9 - 10,000	11 - 13,000	14 - 18,000	19 - 24,000	25,000 +		tons
CA	3 - 6,000	7 - 10,000	11 - 13,000	14 - 16,000	17 - 20,000	21 - 25,000	26,000 +	tons
CL - CS		2 - 2,900	3 - 4,500	4,600 - 7,000	8 - 11,000	12 - 16,000	17,000 +	tons
DD - TB			600 - 1,000	1,100 - 1,600	1,700 - 2,100	2,100 - 2,600	2,700 +	tons
Submarine	200 - 300	300 - 490	500 - 750	750 - 1,000	1,100 - 1,800	1,900 - 2,500	2,600 +	tons

Based on Standard Displacement

SC

Merchant Ships

	3	4	5	6	7	8	9	10	Hull Boxes
AC • AE • AF • AK • AP • AV	500 - 900	1 - 3,000	4 - 6,000	7 - 9,000	10 - 15,000	16 - 25,000	26,000 +	51,000 +	tons
AO • AG	1,000	2,000	3 - 4,000	5 - 6,000	7 - 9,000	10 - 15,000	16 - 25,000	26,000 +	

Based on Gross Registered Tonnage (GRT)

Airship Gas Cells

Blimps	Kite balloon	SS blimp	C Blimp	USN K class	USN M class				
Dirigibles						Shenandoah	Los Angeles	Akron • Macon	
Zeppekins				L 3	L 7	Type P	Type Q - V	Type X	Hindenberg

Merchant Ship System

= new or revised

Year	ACs	Kts	Engine	HULL			AC	CARGO			Coal	TROOPS			Approx. LOADED VPs	Defensive Armament			
				GRT	(GRT x .75)	VPs		NRT	Holds	VPs		Troops	Spaces	VPs		LA	DP	Med AA	Lt AA
<i>Coastal small medium</i>	AC	?	C	2,000	1,500	0.5		1,200	1	0.3		-	0	0.00	0.8				
	AC	?	C	4,000	3,000	0.8		2,400	2	0.6		-	0	0.00		1.4			
	AC	10.5	C	5,000	3,750	1.0		3,000	3	0.8		-	0	0.00		1.8			
AMERICAN																			
1929	Berwindglen	AC	10.0	O	4,411	3,308	1.0		2,750	3	0.7		-	0	0.00	1.7			
1929	Berwindvale	AC	10.0	O	4,411	3,308	1.0		2,750	3	0.7		-	0	0.00	1.7			
1918	Glen White	AC	11.0	C	5,438	4,079	1.0		3,349	3	0.8		-	0	0.00	1.8			
1918	Winding Gulf	AC	11.5	C	5,438	4,079	1.0		3,339	3	0.8		-	0	0.00	1.8			
	Liberty Collier **	AC	11.0	O	6,643	4,982	1.2		3,740	4	0.9		-	0	0.00	2.2			

Bold = Naval Auxiliary

** EC2-S-AW1 (24 built)

Round to nearest ¼ VP

Round to nearest ¼ VP

Round to nearest ¼ VP

Merchant Ship System

= new or revised

Year	AKs	Kts	Engine	HULL			3,000 4,000	AF AK + AE	0.5 1,000 0.25	Ammunition			Approx. LOADED TROOPS Troops Spaces VPs	Defensive Armament	
				CARGO						Mixed				Defensive Armament	
				GRT (GRT x .75)	VPs	NRT	Holds	VPs	0.25	400 0.25					
1940	Temple Arch	AK 10.5	C	3	5,138	3,854	1.0			3,039	3	0.8	-	0 0.00	1.7
1908	Thesus	AK 14.0	C		6,527	4,895	1.2			4,152	4	1.0	-	0 0.00	2.3
1937	Trevalgan	AK 10.0	D		5,299	3,974	1.3			3,120	3	0.8	-	0 0.00	2.1
1940	Treville	AK 10.5	D	3	5,296	3,972	1.0			3,106	3	0.8	-	0 0.00	1.8
1926	Tweed	AK 10.0	C		2,697	2,023	0.5			1,672	2	0.4	-	0 0.00	0.9
1938	Waimarama	AF 16.5	D		12,843	9,632	3.2			6,672	7	1.7	-	0 0.00	4.9
1925	Wanderer	AK 12.0	C		5,079	3,809	1.3			3,152	3	0.8	-	0 0.00	2.1
1935	Wairangi	AF 17.0	D		12,436	9,327	3.1			6,532	7	1.6	-	0 0.00	4.7
FRENCH															
1932	Amienois	AK 10.0	C		3,713	2,785	0.7			1,976	2	0.5		0 0.00	1.2
1919	Brestois	AK 9.5	C		3,094	2,321	0.6			1,843	2	0.5		0 0.00	1.0
1932	Cap Blanc	AK 11.0	C		3,317	2,488	0.6			1,764	2	0.4		0 0.00	1.1
1930	Chateau Pavie	AK 10.5	C		2,047	1,535	0.4			903	1	0.2		0 0.00	0.6
1920	Saint Firmin	AK 9.5	C		4,356	3,267	0.8			2,661	3	0.7		0 0.00	1.5
1914	Albert Le Borgne	AK 10.0	C		3,921	2,941	0.7			2,438	2	0.6		0 0.00	1.3
1924	Enseigne Maurice Prechac	AK 10.0	C		4,578	3,434	0.9			2,549	3	0.6		0 0.00	1.5
1936	Pierre LD	AK 13.0	D		5,795	4,346	1.1			3,333	3	0.8		0 0.00	1.9
1917	Saint-Malo	AK 11.0	O		5,779	4,334	1.1			4,298	4	1.1		0 0.00	2.2
1920	Saumur	AK 9.0	C		2,955	2,216	0.6			1,807	2	0.5		0 0.00	1.0
1931	Sinfra	AK 12.5	D		6,246	4,685	1.2			3,646	4	0.9		0 0.00	2.1
1929	St. Clair	AK 11.5	C		3,825	2,869	0.7			2,208	2	0.6		0 0.00	1.3
NORWEGIAN															
1929	Abraham Lincoln	AK 13.5	D	3	5,740	4,305	1.1			3,501	4	0.9	-	0 0.00	2.0
1938	Askot	AK 11.0	O		1,323	992	0.2			715	1	0.2	-	0 0.00	0.4
1920	Cate B.	AK 9.5	O		4,285	3,214	0.8			2,573	3	0.6	-	0 0.00	1.4
1915	Eldrid	AK 9.0	O		1,712	1,284	0.3			998	1	0.2	-	0 0.00	0.6
1930	Fjordheim	AK 11.0	C	3	4,115	3,086	0.8			2,497	2	0.6	-	0 0.00	1.4
1922	Haalegg	AK 9.0	C		1,758	1,319	0.3			1,032	1	0.3	-	0 0.00	0.6
1920	Helgoy	AK 11.0	D		5,614	4,211	1.1			3,455	3	0.9	-	0 0.00	1.9
1937	Ornefjell	AK 11.5	C		1,334	1,001	0.3			740	1	0.2	-	0 0.00	0.4
1925	Rio Branco	AK 9.5	D		3,210	2,408	0.6			1,858	2	0.5	-	0 0.00	1.1
1905	Saphir	AK 9.0	O		4,306	3,230	0.8			2,788	3	0.7	-	0 0.00	1.5
1924	Solstad	AK 9.0	C		1,408	1,056	0.3			785	1	0.2	-	0 0.00	0.5
1931	South America	AK 10.5	D		6,246	4,685	1.2			3,646	4	0.9	-	0 0.00	2.1
1926	Toledo	AK 11.0	D	3	4,598	3,449	0.9			2,727	3	0.7	-	0 0.00	1.5
1921	Topdalsfjord	AK 11.0	O		4,271	3,203	0.8			2,574	3	0.6	-	0 0.00	1.4
SOVIET															
1903	Dekabrist	AK 12.0	D	3	7,363	5,522	1.4			5,154	5	1.3	-	0 0.00	2.7
OTHER ALLIED															
1920	Alchiba (Dutch)	AK 10.5	C		4,427	3,320	0.8			2,704	3	0.7	-	0 0.00	1.5
1912	Agia Marina (Greek)	AK 12.0	C		4,151	3,113	0.8			2,476	2	0.6	-	0 0.00	1.4
1910	Atland (Swd)	AK 11.0	O		5,203	3,902	1.0			2,639	3	0.7	-	0 0.00	1.6
1915	Bernisse (Dutch)	AK 9.0	O	3	951	713	0.2			478	0	0.1	-	0 0.00	0.3
1922	Breedijk (Dutch)	AK 12.0	O	3	6,861	5,146	1.3			4,229	4	1.1	-	0 0.00	2.3

Merchant Ship System

= new or revised

Year	AKs	Kts	Engine	HULL			AF 4,000	0.5 0.25	Ammunition	Mixed	TROOPS			Approx. LOADED VPs	Defensive Armament			
				GRT	(GRT x .75)	VPs					NRT	Holds	VPs		LA	DP	Med AA	Lt AA
1914	Boden (Swd)	AK 10.5	C	4,246	3,185	0.8				1,969	2	0.5		-	0	0.00	1.3	
1920	Evgenia Chandris (Greek)	AK 12.0	C	5,317	3,988	1.0				3,166	3	0.8		-	0	0.00	1.8	
1919	Chepo (Pan.)	AK 9.0	O	5,707	4,280	1.1				3,515	4	0.9		-	0	0.00	1.9	
1917	Cygnet (Pan)	AK 10.0	O	3,530	2,648	0.7				2,139	2	0.5		-	0	0.00	1.2	
1920	El Estero (Pan.)	AK 12.0	O	4,219	3,164	0.8				2,557	3	0.6		-	0	0.00	1.4	
1931	Gunvor Maersk (Dan.)	AK 10.0	C	1,984	1,488	0.4				1,178	1	0.3		-	0	0.00	0.7	
1917	Halcyon (Pan)	AK 10.0	O	3,531	2,648	0.7				2,140	2	0.5		-	0	0.00	1.2	
1922	Hjelmaren (Swd)	AK 10.5	D	2,467	1,850	0.5				1,186	1	0.3		-	0	0.00	0.8	
1908	Juno (Dutch)	AK 10.0	C	1,763	1,322	0.3				1,088	1	0.3		-	0	0.00	0.6	
1917	Keramiae (Greek)	AK 11.0	O	5,085	3,814	1.0				3,106	3	0.8		-	0	0.00	1.7	
1920	Korshamn (Swd)	AK 11.0	D	6,683	5,012	1.3				4,057	4	1.0		-	0	0.00	2.3	
1928	Leonidas (Greek)	AK 9.5	O	4,573	3,430	0.9				2,902	3	0.7		-	0	0.00	1.6	
1920	CF Liljevalch (Swd)	AK 11.0	C	5,492	4,119	1.0				2,928	3	0.7		-	0	0.00	1.8	
1918	Mount Kassion (Greek)	AK 11.0	O	7,914	5,936	1.5				4,973	5	1.2		-	0	0.00	2.7	
1912	Mount Kitheron (Greek)	AK 9.5	C	3,876	2,907	0.7				2,447	2	0.6		-	0	0.00	1.3	
1923	Oxelosund (Swd)	AK 10.0	D	5,613	4,210	1.1				2,824	3	0.7		-	0	0.00	1.8	
1920	Panaghis (Greek)	AK 10.0	O	5,187	3,890	1.0				3,199	3	0.8		-	0	0.00	1.8	
1914	Radmanso (Swd)	AK 10.5	C	4,280	3,210	0.8				2,596	3	0.6		-	0	0.00	1.5	
1929	Stad Haarlem (Dutch)	AK 10.0	C	4,518	3,389	0.8				2,738	3	0.7		-	0	0.00	1.5	
1921	Strassa (Swd)	AK 11.0	D	5,602	4,202	1.1				2,825	3	0.7		-	0	0.00	1.8	
1922	Tolken (Swd)	AK 10.0	O	4,471	3,353	0.8				2,722	3	0.7		-	0	0.00	1.5	
1913	Torne (Swd)	AK 9.5	C	3,792	2,844	0.7				1,963	2	0.5		-	0	0.00	1.2	
1920	Zeus (Greek)	AK 10.0	O	4,279	3,209	0.8				2,433	2	0.6		-	0	0.00	1.4	
				GERMAN														
1923	Amasis	AK 12.0	C	7,129	5,347	1.3				4,357	4	1.1		-	0	0.00	2.4	
1922	August Leonhardt	AK 10.0	C	2,593	1,945	0.5				1,526	2	0.4		-	0	0.00	0.9	
1923	Aachen	AK 13.0	C	6,388	4,791	1.2				3,923	4	1.0		-	0	0.00	2.2	
1928	Alster	AK 14.0	C	5,398	4,049	1.0				3,598	4	0.9		-	0	0.00	1.9	
1921	Altona	AK 12.0	C	8,514	6,386	1.6				5,328	5	1.3		-	0	0.00	2.9	
1937	Antares	AK 12.0	C	2,593	1,945	0.5				1,470	1	0.4		-	0	0.00	0.9	
1921	Barenfels	AK 12.0	C	7,569	5,677	1.4				4,679	5	1.2		-	0	0.00	2.6	
1924	Brockenheim	AK 12.0	O	4,902	3,677	0.9				2,987	3	0.7		-	0	0.00	1.7	
1911	Curityba	AK 12.0	C	4,969	3,727	0.9				3,045	3	0.8		-	0	0.00	1.7	
1928	Duisberg	AK 13.0	D	7,389	5,542	1.4				4,375	4	1.1		78	0	0.05	2.5	
1913	Emshorn	AK 8.0	C	4,301	3,226	0.8				2,718	3	0.7		-	0	0.00	1.5	
1921	Espana	AK 12.0	O	7,465	5,599	1.4				4,532	5	1.1		-	0	0.00	2.5	
1920	Friedenau	AK 10.0	O	5,219	3,914	1.0				3,169	3	0.8		-	0	0.00	1.8	
1922	Frielinghaus	AK 9.5	O	4,399	3,299	0.8				2,356	2	0.6		-	0	0.00	1.4	
1921	Hamm	AK 12.0	C	5,874	4,406	1.1				3,556	4	0.9		-	0	0.00	2.0	
1921	Hanau	AK 12.0	C	5,892	4,419	1.1				3,597	4	0.9		-	0	0.00	2.0	
1937	Hein Hoyer	AK 11.0	C	5,836	4,377	1.1				3,428	3	0.9		-	0	0.00	2.0	
1922	Ionia	AK 10.0	C	3,102	2,327	0.6				1,789	2	0.4		-	0	0.00	1.0	
1923	Itauri	AK 11.0	C	6,838	5,129	1.3				4,226	4	1.1		-	0	0.00	2.3	
1923	Kellerwald	AK 10.0	O	5,032	3,774	0.9				2,983	3	0.7		-	0	0.00	1.7	

Merchant Ship System

= new or revised

Year	AKs	Kts	Engine	HULL			AF AK + AE	3,000 4,000	0.5 Ammunition	Mixed	TROOPS			Approx. LOADED VPs	Defensive Armament						
				GRT	(GRT x .75)	VPs					NRT	Holds	VPs		Troops	Spaces	VPs	LA	DP	Med AA	Lt AA
1938	Kazuura M	AK	15.5	D	6,804	5,103	1.3				4,854	5	1.2		-	0	0.00	2.5			
1925	Kuretake Maru	AK	10.0	C	5,175	3,881	1.0				3,246	3	0.8		-	0	0.00	1.8			
1931	Kurama Maru	AK	14.0	D	6,791	5,093	1.3				4,066	4	1.0		-	0	0.00	2.3			
1920	Lima maru	AK	12.0	C	6,989	5,242	1.3				4,298	4	1.1		-	0	0.00	2.4			
1923	IJN Mamiya	AF	14.0	C	7,500	5,625	1.9				4,500	5	1.1		-	0	0.00	3.0	2 x 5.5"	2 x 3"	
1923	Miyadono maru	AK	11.0	O	5,196	3,897	1.0				3,198	3	0.8		-	0	0.00	1.8			
1940	Nana Maru	AK	14.5	D	6,764	5,073	1.3				3,915	4	1.0		-	0	0.00	2.2			
1920	Ryuyo Maru	AK	11.0	O	6,707	5,030	1.3				4,737	5	1.2		-	0	0.00	2.4			
1940	Sakura Maru	AK	17.0	D	7,149	5,362	1.3				3,920	4	1.0		-	0	0.00	2.3			
1919	San Francisco maru	AK	12.5	O	5,839	4,379	1.1				4,227	4	1.1		-	0	0.00	2.2			
1932	Shinkyo maru	AK	11.0	O	5,739	4,304	1.1				3,727	4	0.9		-	0	0.00	2.0			
1906	IJN Seito	AK	10.0	C	3,844	2,883	0.7				2,306	2	0.6		-	0	0.00	1.3	2 x 3"		
1940	Sumanoura Maru	AK	14.0	O	3,519	2,639	0.7				2,049	2	0.5		-	0	0.00	1.2			
1939	Tatukami Maru	AK	15.0	O	7,064	5,298	1.3				4,126	4	1.0		-	0	0.00	2.4			
1916	Tsuruga Maru	AK	14.0	O	6,988	5,241	1.3				4,284	4	1.1		-	0	0.00	2.4			
1919	Woosung maru	AK	11.5	O	3,090	2,318	0.6				1,884	2	0.5		-	0	0.00	1.1			
1919	Yuki maru	AK	12.0	C	5,704	4,278	1.1				3,507	4	0.9		-	0	0.00	1.9			

Bold = Naval Auxiliary

1 Most oil fueled

2 some diesel

3 S Taylor data

4 GRT based on Tacoma Star ratio fo GRT:DWT • Heywood class in WW II

Merchant Ship System

= new or revised

Year	AOs	Kts	Engine	HULL			AO	POL			TROOPS			Approx. LOADED VPs	Defensive Armament			
				GRT	(GRT x .75)	VPs		NRT	Tanks	VPs	Troops	Spaces	VPs		LA	DP	Med AA	Lt AA
1926	Winamac	AO	11.0	O	8,621	6,466	1.6	5,208	5	2.6	-	0	0.00	4.2				
1936	Roussillon	AO	12.5	D	9,967	7,475	1.9	5,906	6	3.0	-	0	0.00	4.8				
1938	Ferncourt	AO	13.0	D	9,918	7,439	1.9	5,973	6	3.0	-	0	0.00	4.8				
1936	Hoegh Hood	AO	12.0	D	9,351	7,013	1.8	5,652	6	2.8	-	0	0.00	4.6				
1925	Ina Knudsen	AO	12.0	D	8,913	6,685	1.7	5,275	5	2.6	-	0	0.00	4.3			1 x 4"	
1939	Salamis	AO	13.0	D	8,286	6,215	1.6	4,901	5	2.5	-	0	0.00	4.0				
								OTHER ALLIED										
1939	Ceronia (Dutch)	AO	12.0	D	8,096	6,072	1.5	4,710	5	2.4	-	0	0.00	3.9				
1939	Cistula (Dutch)	AO	12.0	D	8,097	6,073	1.5	4,710	5	2.4	-	0	0.00	3.9				
1936	Elusa (Dutch)	AO	12.0	D	6,235	4,676	1.2	3,593	4	1.8	-	0	0.00	3.0				
1938	Ocana (Dutch)	AO	12.0	D	6,256	4,692	1.2	3,589	4	1.8	-	0	0.00	3.0				
1939	Tibia (Dutch)	AO	13.0	D	10,356	7,767	1.9	6,147	6	3.1	-	0	0.00	5.0				
								GERMAN										
1938	Dithmarschen	AO	21.0	O	10,821	8,116	2.0	6,493	6	3.2	-	0	0.00	5.3				
1921	Jan Wellem	AO	10.5	O	11,766	8,825	2.2	* 6,440	6	3.0	-	0	0.00	5.2				
1928	Kattegat	AO	12.0	D	6,031	4,523	1.1	3,390	3	1.7	-	0	0.00	2.8				
1929	Samland	AO	11.0	D	5,978	4,484	1.1	3,587	4	1.8	(1)	0	0.00	2.9				
1928	Skagerrak	AO	12.0	D	6,031	4,523	1.1	3,400	3	1.7	-	0	0.00	2.8				
1939	Stedingen	AO	12.0	D	8,036	6,027	1.5	4,822	5	2.4	1	0	0.00	3.9				
								ITALIAN										
1913	Annarella	AO	9.0	D	5,999	4,499	1.1	3,389	3	1.7	-	0	0.00	2.8				
1927	Ardror	AO	11.0	D	8,960	6,720	1.7	5,079	5	2.5	-	0	0.00	4.2				
1921	Brennero - RMI	AO	9.5	O	7,156	5,367	1.3	4,294	4	2.1	-	0	0.00	3.5	4 x 4.7/45		2 x 3"	
1904	Bronte - RMI	AO	11.5		4,769	3,577	0.9	2,861	3	1.4	-	0	0.00	2.3	2 3"		2 x 3"	
1908	Conte di Misurata	AO	8.5	O	5,014	3,761	0.9	3,137	3	1.6	-	0	0.00	2.5				
	Darrisia - RMI	AO			7,728	5,796	1.4	4,637	5	2.3	-	0	0.00	3.8				
1893	Lina Campanella	AO	9.0	O	3,356	2,517	0.6	1,952	2	1.0	-	0	0.00	1.6				
1902	Luciana	AO	8.0	O	8,106	6,080	1.5	5,090	5	2.5	-	0	0.00	4.1				
1914	Marangona	AO	10.0	O	5,257	3,943	1.0	3,068	3	1.5	-	0	0.00	2.5				
1894	Maya	AO	9.5	O	3,867	2,900	0.7	2,198	2	1.1	1	0	0.00	1.8				
1940	Minatitland	AO	12.0	D	7,599	5,699	1.4	4,407	4	2.2	-	0	0.00	3.6				
1916	Nettuno - RMI	AO	14.0	O	7,150	5,363	1.3	4,290	4	2.1	-	0	0.00	3.5	3 x 4.7"		2 x 3"	
1939	Iridio Mantovani	AO	13.0	D	10,539	7,904	2.0	6,326	6	3.2	-	0	0.00	5.1				
1912	Poseidone	AO	10.0	O	6,613	4,960	1.2	4,183	4	2.1	-	0	0.00	3.3				
1941	Sterope RMI	AO	14.0	D	10,495	7,871	2.0	6,297	6	3.1	-	0	0.00	5.1	3 x 4.7"		2 MG	
1892	Torcello	AO	9.0	O	3,336	2,502	0.6	2,012	2	1.0	1	0	0.00	1.6				
1918	Utilitas	AO	11.0	O	5,342	4,007	1.0	3,026	3	1.5	-	0	0.00	2.5				
1922	Urano - RMI	AO	11.0		7,726	5,795	1.4	4,636	5	2.3	-	0	0.00	3.8	2 x 4.7"	2 x 3"	2 MG	
								JAPANESE										
1939	Akebono maru	AO	20.0	D	10,182	7,637	1.9	6,076	6	3.0	-	0	0.00	4.9				
1936	Arima maru	AK	19.0	D	7,390	5,543	1.4	4,326	4	2.2	-	0	0.00	3.5				
1929	Eiyo maru	AO	11.0	O	8,674	6,506	1.6	5,102	5	2.6	-	0	0.00	4.2				
1931	Fujisan maru	AO	18.0	D	9,524	7,143	1.8	5,440	5	2.7	-	0	0.00	4.5	2 x 4"		2 x 25mm	

Merchant Ship System

= new or revised

Year	AOs	Kts	Engine	HULL			AO	POL			TROOPS			Approx. LOADED VPs	Defensive Armament				
				GRT	(GRT x .75)	VPs		NRT	Tanks	VPs	Troops	Spaces	VPs		LA	DP	Med AA	Lt AA	
1937	Genyo maru	AO	19.7	D	1	10,018	7,514	1.9		5,900	6	3.0	-	0	0.00	4.8			
1938	Kuroshiro maru	AO	20.7	O	1	10,384	7,788	1.9		6,059	6	3.0	-	0	0.00	5.0			
1933	Kyokuto maru	AO	18.9	D	1	10,051	7,538	1.9		5,821	6	2.9	-	0	0.00	4.8			
1936	Nippon maru	AO	19.2	D	1	9,974	7,481	1.9		5,849	6	2.9	-	0	0.00	4.8			
1936	Otowasan maru	AO	16.5	D	1	9,205	6,904	1.7		5,300	5	2.7	-	0	0.00	4.4			
1928	San Diego maru	AO	11.0	D		7,269	5,452	1.4		5,000	5	2.5	-	0	0.00	3.9			
1940	Shinkoku maru	AO	19.8	D	1	10,020	7,515	1.9		6,012	6	3.0	-	0	0.00	4.9			
1920	IJN Shiretoko	AO	14.0	O	7	7,500	5,625	1.4		4,500	5	2.3	-	0	0.00	3.7	2 x 5.5"	2 x 3"	2 MG
1931	Teiyo maru	AO	17.0	D	1	9,850	7,388	1.8		5,722	6	2.9	-	0	0.00	4.7	2 x 4.7"	2 x 3"	
1938	Toei Maru	AO	17.0	D		10,023	7,517	1.9		5,820	6	2.9	-	0	0.00	4.8			
1936	Toho maru	AO	17.0	D	1	9,987	7,490	1.9		5,885	6	2.9	-	0	0.00	4.8			

Bold = Naval Auxiliary

Round to nearest 1/4 VP

Round to nearest 1/4 VP

Round to nearest 1/4 VP

* One hold for support cargo and workshops

1 The Visual Guide of Japanese Merchant Marine & Watts

2 64,824 Bbs

3 S Taylor data

4 Became USS Victoria AO 46 in WW II

5 Converted from AK in 1943

6 Sold to France in WW I & renamed Dordogne

7 Shiratoko NRT is placeholder approximation based on JANAC estimate

8 USSB Design 1059, Steamboat Bill Winter 1996

Merchant Ship System

= new or revised

Year	APs	Kts	Engine	HULL			3,000 APA AP	1,000 CARGO NRT	0.25 Mixed Holds	0.25 TROOPS VPs	Approx. LOADED VPs	Defensive Armament					
				GRT	(GRT x .75)	VPs						LA	DP	Med AA	Lt AA		
				FRENCH													
1923	Chenonceaux	AP	13.0	O	14,664	10,998	2.7		8,389	1	0.25		2,300	6	1.4	4.4	
1931	Colombie	AP	17.0	O	13,391	10,043	2.5		7,554	1	0.25		2,683	7	1.7	4.4	
1931	Djenne	AP	17.0	O	8,790	6,593	1.6		4,551		0.00		1,400	4	0.9	2.5	
1934	El Djedair	AP	20.0	O	5,790	4,343	1.1		2,407		0.00		650	2	0.4	1.5	
1932	El Kantara	AP	19.0	O	5,079	3,809	1.0		2,317	1	0.25		600	2	0.4	1.6	
1933	El Mansour	AP	20.0	O	5,818	4,364	1.1		2,435		0.00		650	2	0.4	1.5	
1914	Flandre	AP	17.0	O	8,751	6,563	1.6		3,187	1	0.25		1,100	3	0.7	2.6	
1915	Mexique	AP	16.0	O	12,220	9,165	2.3		5,904	1	0.25		2,000	5	1.3	3.8	
1935	President Doumer	AP	17.0	D	11,898	8,924	2.2		6,692	1	0.25		1,456	4	0.9	3.4	
1935	Ville d' Alger	AP	22.0	O	10,172	7,629	1.9		3,811	1	0.25		1,000	3	0.6	2.8	
1936	Ville d' Oran	AP	22.0	O	10,172	7,629	1.9		3,811	1	0.25		1,000	3	0.6	2.8	
				ITALIAN													
1930	Città di Genova	D4	AP	19.0	D	5,413	4,060	1.0		2,914	1	0.25		774	2	0.5	1.7
1929	Città di Napoli	D1	AP	19.0	D	5,418	4,064	1.0		2,922	1	0.25		700	2	0.4	1.7
1930	Città di Palermo	D3	AP	19.0	D	5,418	4,064	1.0		2,914	1	0.25		700	2	0.4	1.7
1929	Città di Tunisi	D2	AP	19.0	D	5,419	4,064	1.0		2,923	1	0.25		765	2	0.5	1.7
1918	Esperia	AP	18.0	O	11,398	8,549	2.1		5,963	1	0.25		1,571	4	1.0	3.4	
1912	Marco Polo	AP	16.0	O	12,272	9,204	2.3		6,752	1	0.25		2,000	5	1.3	3.8	
1928	Vulcania	AP	28.0	D	24,469	18,352	4.6		14,697	2	0.50		3,000	8	1.9	7.0	
1932	Neptunia	AP	19.0	D	19,475	14,606	3.7		11,734	1	0.25		2,900	7	1.8	5.7	
1933	Oceania	AP	20.5	D	19,507	14,630	3.7		11,752	1	0.25		2,900	7	1.8	5.7	
1938	Rex	AP	28.0	O	51,062	38,297	9.6		30,623	2	0.50		5,725	14	3.6	13.7	
1931	Conte di Savoia	AP	26.0	O	48,502	36,377	9.1		25,948	1	0.25		5,000	13	3.1	12.5	
				JAPANESE													
1929	Asama maru	AP	20.0	D	16,975	12,731	3.2	1	10,017	2	0.50		1,500	4	0.9	4.6	
1930	Chichibu maru	AP	20.0	D	17,526	13,145	3.3		10,275	2	0.50		1,500	4	0.9	4.7	
1923	Hakusan maru	AP	16.0	C	10,380	7,785	1.9		6,271	2	0.50		1,200	3	0.8	3.2	
1921	Hakone maru	AP	16.0	C	10,420	7,815	2.0		6,307	2	0.50		1,200	3	0.8	3.2	
1922	Hakozaki maru	AP	16.0	C	10,413	7,810	2.0		6,310	2	0.50		1,200	3	0.8	3.2	
1930	Hikawa maru	AP	17.0	D	11,622	8,717	2.2		6,788	2	0.50		1,200	3	0.8	3.4	
1920	Kyokusei Maru	AP	12.0	O	5,493	4,120	1.0		4,008	1	0.25		1,203	3	0.8	2.0	
1931	Sansei maru	AP	11.0	D	3,266	2,450	0.6		1,872	1	0.25		700	2	0.4	1.3	
1930	Tokai maru	AP	17.5	D	8,359	6,269	1.6		5,048	2	0.50		1,000	3	0.6	2.7	
1938	Yamagiri Maru	AP	14.0	D	6,438	4,829	1.2		4,823	4	1.00		500	1	0.3	2.5	
1935	Shinshu maru	AKA	19.0	O	8,160	6,120	2.0		4,896	2	0.50		1,200	3	0.8	3.3	

Bold = Naval Auxiliary

Round to nearest 1/4 VP

Round to nearest 1/4 VP























Round to nearest 1/4 VP

1 Reefer and also fitted for carrying oil.

2 Wrecked in December 1937. Not USAT

1 Silverstone, *The Navy of World War II*

1 Mussolini's Navy by Maurizio Brescia

4"	SS Alchiba	AK		Bridge WT -- Bulkhead SL Rudder AA 1/4 (1/2) C + 3/4 VP C
4"	SS Argos Hill	AK		Bridge WT -- Bulkhead SL Rudder AA 1/4 (1/2) C + 1 1/4 VPs D
--	MS Athelsultan	AO		Bridge WT -- Bulkhead SL Rudder AA -- (1/4) C + 1 1/4 VPs D
4" 3"	MS Australia	AO		Bridge WT -- Bulkhead SL Rudder AA 1/4 (1/2) C + 2 1/4 VPs D
--	MS Elusa	AO		Bridge WT -- Bulkhead SL Rudder AA -- (1/4) C + 1 1/4 VPs D
--	MS Ferncourt	AO		Bridge WT -- Bulkhead SL Rudder AA 1/4 (1/2) C + 1 1/4 VPs D
--	SS Glen White	AC		Bridge WT -- Bulkhead SL Rudder AA -- (1/4) C + 1 VP C
4" 3"	SS High Park	AK		Bridge WT -- Bulkhead SL Rudder AA 1/2 (1) C + 1 1/4 VPs C
--	SS Leonidas	AK		Bridge WT -- Bulkhead SL Rudder AA -- (1/4) C + 3/4 VP D
--	SS Memphis City	AK		Bridge WT -- Bulkhead SL Rudder AA 1/4 (1/2) C + 1 1/4 VPs D
--	SS Mount Kassion	AK		Bridge WT -- Bulkhead SL Rudder AA 1/4 (1/2) C + 1 1/2 VPs D
--	SS Ocean Liberty	AK		Bridge WT -- Bulkhead SL Rudder AA 1/4 (1/2) C + 1 1/4 VPs C
--	SS Panaghis	AK		Bridge WT -- Bulkhead SL Rudder AA -- (1/4) C + 1 VP D
--	SS Saint-Malo	AK		Bridge WT -- Bulkhead SL Rudder AA 1/4 (1/2) C + 1 VP D
--	MS South America	AK		Bridge WT -- Bulkhead SL Rudder AA -- (1/4) C + 1 1/4 VPs D
--	SS Stad Haarlem	AK		Bridge WT -- Bulkhead SL Rudder AA -- (1/4) C + 3/4 VP C
4" 3"	SS Thomas Heywood	AK		Bridge WT -- Bulkhead SL Rudder AA 1/2 (1) C + 1 1/4 VPs D
4" 3"	SS Tide Penn	AO		Bridge WT -- Bulkhead SL Rudder AA 1/2 (1) C + 1 1/2 VPs D
--	SS Tolken	AK		Bridge WT -- Bulkhead SL Rudder AA -- (1/4) C + 3/4 VP D
4" 3"	SS Winamac	AO		Bridge WT -- Bulkhead SL Rudder AA 1/4 (1/2) C + 1 1/2 VPs D
3" 3"	MS Llangibby Castle	APA		Bridge WT -- Bulkhead SL Rudder AA 1/2 (2 1/2) C + 3 VPs D
5" 3"	USS Barnett (AP-11)	APA		Bridge WT -- Bulkhead SL Rudder AA 1 (1) C + 2 VPs D
5" 3"	USS George F Elliott (APA-13)	APA		Bridge W/T -- Bulkhead SL Rudder AA 1 (3) C + 2 VPs Radar D
5" 3"	USS McCawley (AP-10)	APA		Bridge WT -- Bulkhead SL Rudder AA 1 (1) C + 2 VPs D

Cargo spaces: Cargo and Troops = 1/4 VP • AvGas, POL and Ammo = 1/2 VP each

Date: 19 : Hrs

ALLIED CONVOYS



Weather:

Force winds From

Flagship:	Deck Log		CO:
1	6		11
2	7		12
3	8		13
4	9		14
5	10		15

Flagship:	Deck Log		CO:
1	6		11
2	7		12
3	8		13
4	9		14
5	10		15

Flagship:	Deck Log		CO:
1	6		11
2	7		12
3	8		13
4	9		14
5	10		15

© L L Gill

3.5"	ss Aachen	AK	3.5"	ss Altona	AK	--	ss Bockenheim	AK	3"	ss Blythmoor	AK
Bridge WT -- Bulkhead SL Rudder AA	1/4 (1/4)	C + 1 1/4 VPs	Bridge WT -- Bulkhead SL Rudder AA	1/4 (1/4)	C + 1 1/2 VPs	Bridge WT -- Bulkhead SL Rudder AA	-- (1/4)	C + 1 VP	Bridge WT -- Bulkhead SL Rudder AA	1/4 (1/4)	C + 1 1/4 VPs
13 10 8 6 3 one ER		C	12 10 8 5 4 2 one ER		C	12 10 7 5 2 one ER			10 9 7 5 3 1 one ER		C
--	ss Boden	AK	--	ss Cate B.	AK	--	ss Eldrid	AK	--	ss Frielingshas	AK
Bridge WT -- Bulkhead SL Rudder AA	-- (-)	C + 3/4 VP	Bridge WT -- Bulkhead SL Rudder AA	-- (-)	C + 3/4 VP	Bridge WT -- Bulkhead SL Rudder AA	-- (-)	C + 1/4 VP	Bridge WT -- Bulkhead SL Rudder AA	-- (1/4)	C + 3/4 VP
10 8 6 5 2 one ER		C	9 7 5 4 2 one ER			9 7 5 2 one ER			10 8 6 5 2 one ER		
--	ss Haalegg	AK	4.1"	ss Hein Hoyer	AK	4.1"	ss Lippe	AK	3.5"	ss Martha Hendrik Fisser	AK
Bridge WT -- Bulkhead SL Rudder AA	-- (-)	C + 1/4 VP	Bridge WT -- Bulkhead SL Rudder AA	1/4 (1/2)	C + 1 VP	Bridge WT -- Bulkhead SL Rudder AA	1/4 (1/2)	C + 1 1/2 VPs	Bridge WT -- Bulkhead SL Rudder AA	1/4 (1/4)	C + 1 VP
9 7 5 2 one ER		C	11 9 7 5 3 1 one ER		C	12 10 8 5 4 2 one ER		C	11 9 7 5 2 one ER		C
--	ss Mersington Court	AK	3.5"	MS Neuenfels	AK	--	ss North Cornwall	AK	4.1"	ss Odin	AK
Bridge WT -- Bulkhead SL Rudder AA	-- (1/4)	C + 1 VP	Bridge WT -- Bulkhead SL Rudder AA	1/4 (1/4)	C + 1 1/2 VPs	Bridge WT -- Bulkhead SL Rudder AA	-- (1/4)	C + 3/4 VP	Bridge WT -- Bulkhead SL Rudder AA	1/4 (1/2)	C + 1 VP
10 8 6 5 2 one ER			12 10 8 5 4 2 one ER		D	10 8 6 5 2 one ER		C	10 8 6 5 2 one ER		C
--	MS Oxelosund	AK	--	ss Planet	AK	3"	ss Riverton	AK	3"	ss Romanby	AK
Bridge WT -- Bulkhead SL Rudder AA	-- (-)	C + 1 VP	Bridge WT -- Bulkhead SL Rudder AA	-- (1/4)	C + 1 VP	Bridge WT -- Bulkhead SL Rudder AA	1/4 (1/2)	C + 1 VP	Bridge WT -- Bulkhead SL Rudder AA	1/4 (1/2)	C + 1 VP
10 8 6 5 2 one ER		D	12 10 7 5 2 one ER		C	10 8 6 5 2 one ER		C	10 8 6 5 2 one ER		C
--	ss Saphir	AK	--	MS Strassa	AK	--	ss Torne	AK	--	ss Jan Wellem	AO
Bridge WT -- Bulkhead SL Rudder AA	-- (-)	C + 3/4 VP	Bridge WT -- Bulkhead SL Rudder AA	-- (-)	C + 1 VP	Bridge WT -- Bulkhead SL Rudder AA	-- (-)	C + 3/4 VP	Bridge WT -- Bulkhead SL Rudder AA	-- (1/4)	C + 2 1/4 VPs
9 7 5 4 2 one ER			11 9 7 5 2 one ER		D	9 7 5 4 2 one ER		C	11 10 9 7 6 5 3 2 one ER		

Cargo spaces: Cargo and Troops = 1/4 VP • AvGas, POL and Ammo = 1/2 VP each

Date: 19 : Hrs

NARVIK HARBOR GQ

Weather: Force winds From

Flagship:	Deck Log	CO:
1	6	11
2	7	12
3	8	13
4	9	14
5	10	15

Flagship:	Deck Log	CO:
1	6	11
2	7	12
3	8	13
4	9	14
5	10	15

Flagship:	Deck Log	CO:
1	6	11
2	7	12
3	8	13
4	9	14
5	10	15

4"	HMS Auckland	DE	4"	HMS Bittern	DE	3.9"	ss Amienois	AK	4"	ss Blackheath	AK	
Bridge DCT -- Bulkhead SL Rudder AA 2½ (3½)	Bulkhead SL Rudder AA 2½ (3½)	2 VPs	Bridge DCT -- Bulkhead SL Rudder AA 2 (3)	Bulkhead SL Rudder AA 2 (3)	2 VPs	Bridge WT -- Bulkhead SL Rudder AA ¼ (½)	Bulkhead SL Rudder AA ¼ (½)	C + ¾ VP	Bridge WT -- Bulkhead SL Rudder AA ¼ (½)	Bulkhead SL Rudder AA ¼ (½)	C + 1 VP	
2 2	2 2 2 DC	Radar	2 2	2 DC	Radar	10 8	6 5 2	one ER	10 8	6 5 2	one ER	
19 16 12 9 6 3	oooo	R F C	18 15 12 8 5 2	oooo	Sonar -	C			10 8	6 5 2	one ER	
-	ss Cap Blanc	AK	4"	MS Cedarbank	AK	4"	MS Conch	AK	4"	ss Dallington Court	AK	
Bridge WT -- Bulkhead SL Rudder AA -- (¼)	Bulkhead SL Rudder AA -- (¼)	C + ½ VP	Bridge WT -- Bulkhead SL Rudder AA ¼ (½)	Bulkhead SL Rudder AA ¼ (½)	C + 1 VP	Bridge WT -- Bulkhead SL Rudder AA ¼ (½)	Bulkhead SL Rudder AA ¼ (½)	C + 1½ VP	Bridge WT -- Bulkhead SL Rudder AA ¼ (½)	Bulkhead SL Rudder AA ¼ (½)	C + 1¼ VPs	
11 8 6 2	one ER	C	12 10 7 5 2	one ER	D	11 9 7 5 3 1	one ER	D	10 9 7 5 3 1	one ER		
4"	MS Delius	AK	--	ss Harmattan	AK	--	ss St. Clair	AK	3.5"	ss Saint Firmin	AK	
Bridge WT -- Bulkhead SL Rudder AA ¼ (½)	Bulkhead SL Rudder AA ¼ (½)	C + 1 VP	Bridge WT -- Bulkhead SL Rudder AA -- (¼)	Bulkhead SL Rudder AA -- (¼)	C + 1 VP	Bridge WT -- Bulkhead SL Rudder AA -- (¼)	Bulkhead SL Rudder AA -- (¼)	C + ¾ VP	Bridge WT -- Bulkhead SL Rudder AA ¼ (½)	Bulkhead SL Rudder AA ¼ (½)	C + ¾ VP	
14 11 8 6 3	one ER	D	9 7 5 4 2	one ER	C	11 9 7 5 2	one ER	C	9 7 5 4 2	one ER	C	
4"	ss Thesus	AK	4"	MS Batory	AP	4"	3"	MS Chrobery	AP	--	ss Colombie	AP
Bridge WT -- Bulkhead SL Rudder AA ¼ (½)	Bulkhead SL Rudder AA ¼ (½)	C + 1¼ VPs	Bridge WT -- Bulkhead SL Rudder AA ½ (½)	Bulkhead SL Rudder AA ½ (½)	C + 2¾ VPs	Bridge WT -- Bulkhead SL Rudder AA ¾ (¾)	Bulkhead SL Rudder AA ¾ (¾)	C + 2 VPs	Bridge WT -- Bulkhead SL Rudder AA -- (¼)	Bulkhead SL Rudder AA -- (¼)	C + 2½ VPs	
14 11 8 6 3	one ER		18 16 14 12 8 5 3	one ER	D	16 14 13 10 7 5 2	one ER	D	17 15 14 11 8 5 3	one ER		
3.5"	ss El Kantara	AP	4"	ss Empress of Australia	AP	--	ss Flandre	AP	4"	ss Monarch of Bermuda	AP	
Bridge WT -- Bulkhead SL Rudder AA ¼ (½)	Bulkhead SL Rudder AA ¼ (½)	C + 1 VP	Bridge WT -- Bulkhead SL Rudder AA -- (¼)	Bulkhead SL Rudder AA -- (¼)	C + 4 VPs	Bridge WT -- Bulkhead SL Rudder AA -- (¼)	Bulkhead SL Rudder AA -- (¼)	C + 1½ VPs	Bridge WT -- Bulkhead SL Rudder AA ¼ (½)	Bulkhead SL Rudder AA ¼ (½)	C + 4½ VPs	
19 15 11 9 4	one ER		16 14 13 10 9 7 5 2	one ER		17 14 11 8 5 2	one ER		20 18 16 13 11 9 6 3	one ER		
4"	ss Orama	AP	--	MS Royal Ulsterman	AP	--	MS Ulster Prince	AP	3.5"	ss Ville de Alger	AP	
Bridge WT -- Bulkhead SL Rudder AA ¼ (½)	Bulkhead SL Rudder AA ¼ (½)	C + 3¾ VPs	Bridge WT -- Bulkhead SL Rudder AA -- (¼)	Bulkhead SL Rudder AA -- (¼)	C + ½ VP	Bridge WT -- Bulkhead SL Rudder AA -- (-)	Bulkhead SL Rudder AA -- (-)	C + ¾ VP	Bridge WT -- Bulkhead SL Rudder AA ¼ (½)	Bulkhead SL Rudder AA ¼ (½)	C + 2 VPs	
18 16 14 12 10 8 5 3	one ER		17 13 9 3	one ER	D	18 14 11 8 4	one ER	D	22 20 18 14 10 7 3	one ER		

Cargo spaces: Cargo and Troops = ¼ VP • AvGas, POL and Ammo = ½ VP each

Date: 19 : Hrs



ALLIED NORWAY CONVOYS








Flagship:	Deck Log	CO:
1	6	11
2	7	12
3	8	13
4	9	14
5	10	15

Flagship:	Deck Log	CO:
1	6	11
2	7	12
3	8	13
4	9	14
5	10	15

Flagship:	Deck Log	CO:
1	6	11
2	7	12
3	8	13
4	9	14
5	10	15






AE & AF are AK target category

Weather: Force winds From









Loaded Merchant Ship VPs

Conte di Misurata	2 1/2	Rinna Corrado	2 1/4
Duisberg	2 3/4	Sagitta	2 1/4
Maria	2 1/4	San Marco	1 1/4
Minatitland	3 1/2		



Convoy Escort



Cargo spaces: Cargo and Coal = 1/4 VP • AvGas, POL and Ammo = 1/2 VP each

Date: 19 : Hrs

Flagship:	Deck Log	CO:
1	6	11
2	7	12
3	8	13
4	9	14
5	10	15

Flagship:	Deck Log	CO:
1	6	11
2	7	12
3	8	13
4	9	14
5	10	15

Flagship:	Deck Log	CO:
1	6	11
2	7	12
3	8	13
4	9	14
5	10	15















GQ

Weather:

AE & AF are AK target category

Force winds From

© L L Gill



























Cargo spaces: Cargo and Coal = ¼ VP • POL and Ammo = ½ VP • Troops = ¼ VP each
Date: 19 : Hrs

USN Aleutian Amphibious

Flagship:	Deck Log	CO:	GQ
1	6	11	
2	7	12	
3	8	13	
4	9	14	
5	10	15	

Flagship:	Deck Log	CO:	Weather:	Force winds From
1	6	11		
2	7	12		
3	8	13		
4	9	14		
5	10	15		



Cargo spaces: Cargo and Coal = ¼ VP • POL and Ammo = ½ VP • Troops = ¼ VP each

Date:

19



BLUE CONVOYS



GQ

Flagship:	Deck Log			CO:
1	6	11		
2	7	12		
3	8	13		
4	9	14		
5	10	15		

Flagship:	Deck Log			CO:
1	6	11		
2	7	12		
3	8	13		
4	9	14		
5	10	15		

Flagship:	Deck Log			CO:
1	6	11		
2	7	12		
3	8	13		
4	9	14		
5	10	15		

AE & AF are AK target category

Weather:

Force winds From

© L L Gill

 Bridge WT -- Bulkhead SL Rudder AA C + 1 VP one ER	 Bridge WT -- Bulkhead SL Rudder AA C + ½ VP one ER	 Bridge WT -- Bulkhead SL Rudder AA C + ¾ VP one ER	 Bridge WT -- Bulkhead SL Rudder AA C + ¾ VP one ER
 Bridge WT -- Bulkhead SL Rudder AA C + ½ VP one ER	 Bridge WT -- Bulkhead SL Rudder AA C + 1¼ VPS one ER	 Bridge WT -- Bulkhead SL Rudder AA C + 1½ VPS one ER	 Bridge WT -- Bulkhead SL Rudder AA C + 1½ VPS one ER
 Bridge WT -- Bulkhead SL Rudder AA C + 1¼ VPS one ER	 Bridge WT -- Bulkhead SL Rudder AA C + 1½ VPS one ER	 Bridge WT -- Bulkhead SL Rudder AA C + 1½ VPS one ER	 Bridge WT -- Bulkhead SL Rudder AA C + 1½ VPS one ER
 Bridge WT -- Bulkhead SL Rudder AA C + 1½ VPS one ER	 Bridge WT -- Bulkhead SL Rudder AA C + 1 VP one ER	 Bridge WT -- Bulkhead SL Rudder AA C + 1¾ VPS one ER	 Bridge WT -- Bulkhead SL Rudder AA C + 3¼ VPS one ER
 Bridge WT -- Bulkhead SL Rudder AA C + 1½ VPS one ER	 Bridge WT -- Bulkhead SL Rudder AA C + 1¾ VPS one ER	 Bridge WT -- Bulkhead SL Rudder AA C + 2 VPS one ER	 Bridge WT -- Bulkhead SL Rudder AA C + 2¼ VPS one ER
 Bridge WT -- Bulkhead SL Rudder AA C + 3 VPS one ER	 Bridge WT -- Bulkhead SL Rudder AA C + 2 VPs one ER	 Bridge W/T -- Bulkhead Rudder AA C + 2 VPs one ER	 Bridge WT -- Bulkhead SL Rudder AA C + 2 VPs one ER

Cargo spaces: Cargo and Troops = ½ VP • AvGas, POL and Ammo = ½ VP each

Date: 19 : Hrs

Flagship:	Deck Log		CO:
1	6	11	
2	7	12	
3	8	13	
4	9	14	
5	10	15	

Flagship:	Deck Log		CO:
1	6	11	
2	7	12	
3	8	13	
4	9	14	
5	10	15	

Flagship:	Deck Log		CO:
1	6	11	
2	7	12	
3	8	13	
4	9	14	
5	10	15	© L L Gill


CONVOYS GO

Weather: Force winds From


1/2400 Specials

									
Res 01	Res 02	CAM 01	CAM 02	CAM 03	AA 01	AA 02	AA 03	AA 04	AA 05
									
Corv 01	Corv 02	Corv 03	Corv 04	Corv 05	Corv 06	Corv 07	Corv 08	Corv 09	Corv 10
									
Tr 01	Tr 02	Tr 03	Tr 04	Tr 05	Tr 06	Tr 07	Tr 08	Tr 09	Tr 10
									
Slip 01	Slip 02	Slip 03	Slip 04	Slip 05	Slip 06	Slip 07	Slip 08	Slip 09	Slip 10
									
SS 01	SS 02	SS 03	SS 04	SS 05	SS 06	SS 07	SS 08	SS 09	SS 10

1/2400 Passenger (AP) and Passenger/Cargo (AP) Ships



1/2400 Tankers (AO) and Colliers (AC)



1/2400 Cargo Ships (AK)

									
AK 01	AK 02	AK 03	AK 04	AK 05	AK 06	AK 07	AK 08	AK 09	AK 10
									
AK 11	AK 12	AK 13	AK 14	AK 15	AK 16	AK 17	AK 18	AK 19	AK 20
									
AK 21	AK 22	AK 23	AK 24	AK 25	AK 26	AK 27	AK 28	AK 29	AK 30

1/2400 Cargo Ships (AK)

									
AK 31	AK 32	AK 33	AK 34	AK 35	AK 36	AK 37	AK 38	AK 39	AK 40
									
AK 41	AK 42	AK 43	AK 44	AK 45	AK 46	AK 47	AK 48	AK 49	AK 50
									
AK 51	AK 52	AK 53	AK 54	AK 55	AK 56	AK 57	AK 58	AK 59	AK 60


1/2400 Cargo Ships (AK)

1/3000 Specials

Res 01	Res 02	CAM 01	CAM 02	CAM 03	AA 01	AA 02	AA 03	AA 04	AA 05
Corv 01	Corv 02	Corv 03	Corv 04	Corv 05	Corv 06	Corv 07	Corv 08	Corv 09	Corv 10
Tr 01	Tr 02	Tr 03	Tr 04	Tr 05	Tr 06	Tr 07	Tr 08	Tr 09	Tr 10
Slip 01	Slip 02	Slip 03	Slip 04	Slip 05	Slip 06	Slip 07	Slip 08	Slip 09	Slip 10
SS 01	SS 02	SS 03	SS 04	SS 05	SS 06	SS 07	SS 08	SS 09	SS 10

1/3000 Passenger (AP) and Passenger/Cargo (AP) Ships



1/3000 Tankers (AO) and Colliers (AC)

AO 01	AO 02	AO 03	AO 04	AO 05	AO 06	AO 07	AO 08	AO 09	AO 10
AO 11	AO 12	AO 13	AO 14	AO 15	AO 16	AO 17	AO 18	AO 19	AO 20
AO 21	AO 22	AO 23	AO 24	AO 25	AC 01	AC 02	AC 03	AC 04	AC 05

1/3000 Cargo Ships (AK)





									
									
									

1/3000 Cargo Ships (AK)

AK 31	AK 32	AK 33	AK 34	AK 35	AK 36	AK 37	AK 38	AK 39	AK 40
AK 41	AK 42	AK 43	AK 44	AK 45	AK 46	AK 47	AK 48	AK 49	AK 50
AK 51	AK 52	AK 53	AK 54	AK 55	AK 56	AK 57	AK 58	AK 59	AK 60

1/3000 Cargo Ships (AK)


									
									
									

1/4800 Passenger (AP) and Passenger/Cargo (AP) Ships**1/4800 Specials****1/4800 Tankers (AO) and Colliers (AC)****1/4800 Cargo Ships (AK)**


1/4800 Cargo Ships (AK)

1/4800 Cargo Ships (AK)


1/6000 Passenger (AP) and Passenger/Cargo (AP) Ships




1/6000 Special




1/6000 Tankers (AO) and Colliers (AC)



1/6000 Cargo Ships (AK)



1/6000 Cargo Ships (AK)



1/6000 Cargo Ships (AK)

